

## SaltPhys

Site	Date	Time1	Temp C	Sp Cond uS/cm	pH	DO % sat	DO mg/L	ORP mv	Turbidity NTU
SALT1	091202	095751	20.53	508.8	7.66	78.4	7.05	213	3000
SALT2	091202	142742	23.44	2019	8.03	126.7	10.72	109	1.19
SALT3	091202	154312	28.11	2004	8.8	200	15.69	91	1.07
SALT1	120302	095455	11.41	3605	8.03	117.1	12.65	142	5.43
SALT2	010603	103302	12.42	2166	8.23	97	10.27	233	0.99
SALT3	010603	093500	13.18	1978	7.63	59.8	6.28	233	4.22
SALT1	030603	094912	9.89	1092	7.83	81.1	9.14	230	458.6
SALT2	032103	102644	15.91	1815	8.27	100.5	9.89	96	1.87
SALT3	032103	114444	19.02	1633	7.9	95.8	8.85	109	
SALT1	052903	073000	22.42	1741	8.1	62.6	5.45	445	4.16
SALT2	061003	093148	18.27	1992	7.17	43.5	4.23	171	392.6
SALT3	061003	105210	19.8	1996	7.58	66.3	6.01	183	414
SALT1	081903	083000	25.91	1803	7.91	87.4	7.08	183	10000
SALT2	090503	100313	26.18	2239	7.41	31.7	2.09	141	
SALT3	090503	090259	25.32	2242	7.74	75	5.02	153	